

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1902.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1902. The quantity of seed obtained from some of the species is of limited amount. The seeds are available for exchange, but they are not for sale :—

PLANTS IN THE OPEN.

Acæna

Novæ-Zelandiæ, *T. Kirk.*
Sanguisorbæ, *Vahl.*

Acer

opulifolium, *Vill.*, var.
obtusatum.

Aconitum

Napellus, *Linn.*
pyrenaicum, *Hort.*

Actæa

spicata, *Linn.*
— var. *rubra*.

Adenophora

stylosa, *Fisch.*

Adonis

vernalis, *Linn.*

Ægopodium

Podagraria, *Linn.*

Æthionema

saxatile, *R. Br.*

Æthusa

Cynapium, *Linn.*

Allium

carinatum, *Linn.*
fistulosum, *Linn.*
margaritaceum, *Sibth. et Sm.*
Moly, *Linn.*
neapolitanum, *Cyr.*
odorum, *Linn.*
oreophilum, *C. A. Mey.*
sativum, *Linn.*
Schœnoprassum, *Linn.*
— var. *sibiricum*.
vineale, *Linn.*

Alnus

cordifolia, *Tenore.*
glutinosa, *Medic.*
— var. *rubrinervia*, *Hort.*
japonica, *Sieb. et Zucc.*
serrulata, *Willd.*

Alstroemeria
aurantiaca, *Don.*

Alyssum
creticum, *Linn.*
montanum, *Linn.*
umbellatum, *Desv.*

Androsace
lactiflora, *Fisch.*

Anemone
alpina, *Linn.*
rivularis, *Buch.-Ham.*
sylvestris, *Linn.*

Anterericum
Liliago, Linn.

Anthriscus
sylvestris, Hoffm.

Antirrhinum
Asarina, Linn.

Aquilegia
chrysanthia, A. Gray.

Arabis
alpina, *Linn.*
— var. anachoretica, *Port.*
blepharophylla, *Hook. et Arn.*
hirsuta, *Scop.*

Arctium
Lappa, Linn.

Arenaria
gracilis, *Kit.*
graminifolia, *Schrad.*
juniperina, *Linn.*
peploides, *Linn.*

Arnica
amplexicaulis, *Nutt.*
montana, *Linn.*

Arracacia
arguta, *Benth. et Hook. f.*

Aster
Tripolium, Linn.

Astragalus
alopecuroides, *Linn.*
Glyciphyllus, *Linn.*
danicus, *Linn.*, var. albus.
xiphocarpus, *Benth.*

Astrantia
gracilis, *Barth.*
helleborifolia, *Salisb.*
major, *Linn.*
— var. intermedia.
neglecta, *C. Koch et Bouché.*

Atriplex
Babingtonii, Woods.

Atropa
Belladonna, Linn.

Aubrietia
deltoidea, *DC.*
erubescens, *Griseb.*

Barbarea
vulgaris, R. Br.

Berberis
angulosa, *Wall.*

Betula
alba, Linn.

Brassica	Cephalaria
campestris, <i>Linn.</i>	tatarica, <i>Schrad.</i>
junccea, <i>Coss.</i>	— var. minor.
Brodiaea	Cerastium
Douglasii, <i>S. Wats.</i>	alpinum, <i>Linn.</i>
Bryonia	tomentosum, <i>Linn.</i>
dioica, <i>Jacq.</i>	
Bulbinella	Chærophylleum
Hookeri, <i>Benth. et Hook. f.</i>	aromaticum, <i>Linn.</i>
Bupleurum	aureum, <i>Linn.</i>
Candollei, <i>Wall.</i>	
Callirhoe	Chelidonium
digitata, <i>Nutt.</i>	majus, <i>Linn.</i>
Campanula	— var. laciniatum.
Cervicaria, <i>Linn.</i>	
glomerata, <i>Linn.</i>	Chenopodium
linifolia, <i>Scop.</i>	Bonus-Henricus, <i>Linn.</i>
mirabilis, <i>Alboff.</i>	
persicifolia, <i>Linn.</i> , var. alba.	Chrysanthemum
pulla, <i>Linn.</i>	Leucanthemum, <i>Linn.</i>
rotundifolia, <i>Linn.</i>	segetum, <i>Linn.</i>
Carbenia	
benedicta, <i>Adans.</i>	Cistus
Carduus	laxus, <i>Hort.</i>
acanthoides, <i>Linn.</i>	monspeliensis, <i>Linn.</i>
Cenia	
turbinata, <i>Pers.</i>	Clematis
Centaurea	Fremonti, <i>S. Wats.</i>
macrocephala, <i>Puschk.</i>	
nervosa, <i>Willd.</i>	Cnicus
pectinata, <i>Linn.</i>	canus, <i>Roth.</i>
Rhaponticum, <i>Linn.</i>	eriophorus, <i>Roth.</i>
	tartanicus, <i>Willd.</i>
	Cochlearia
	glastifolia, <i>Linn.</i>
	Collinsia
	bicolor, <i>Benth.</i>
	Collomia
	grandiflora, <i>Dougl.</i>

Conium*maculatum, Linn.***Cotoneaster***frigida, Wall.**Nummularia, Fisch. et Mey.**rotundifolia, Wall.**Simonsii, Baker.***Cotyledon***Umbilicus, Linn.***Crepis***sibirica, Linn.***Cytisus***biflorus, L'Hérit.**canescens, Hort.**schipkaensis, Hort.**scoparius, Link.**— var. albus.**— var. Andreanus.***Dahlia***Merckii, Lehm.***Delphinium***altissimum, Wall.**cardinale, Hook.**hybridum, Steph.**Maackianum, Regel.**nudicaule, Torr. et Gray.**occidentale, S. Wats.**speciosum, Bieb., var. turkestanicum.***Dianthus***Armeria, Linn.**barbatus, Linn.**caesius, Sm.**ciliatus, Guss.***Dianthus**—continued.*deltoides, Linn.**petraeus, Waldst. et Kit., var.**spiculifolius.**plumarius, Linn.**pubescens, Sibth. et Sm.**squarrosus, Bieb.***Digitalis***purpurea, Linn.***Dodecatheon***Meadia, Linn., var. album.***Draba***Aizoon, Wahlenb.**arabisans, Michx.**aurea, Vahl.**bruniaefolia, Stev.**cuspidata, Bieb.**hirta, Linn.**incana, Linn.**Loiseleurii, Boiss.***Enkianthus***japonicus, Hook. f.***Epilobium***angustifolium, Linn.**Dodonæi, Vill.**Lamyi, Schultz.**parviflorum, Schreb.***Erigeron***glabellus, Nutt., var. mollis.***Erodium***Botrys, Bertol.***Eryngium***alpinum, Linn.**Bourgati, Gouan.**Oliverianum, Delar.*

Erysimum	Gerbera
rupestre, <i>DC.</i>	nivea, <i>Sch. Bip.</i>
thyrsoidemum, <i>Boiss.</i>	
Eschscholzia	Geum
cæspitosa, <i>Benth.</i>	Heldreichii, <i>Hort.</i>
californica, <i>Cham.</i>	hispidum, <i>Fries.</i>
Euonymus	japonicum, <i>Thunb.</i>
europæus, <i>Linn.</i>	montanum, <i>Linn.</i> , var. aurantiacum.
Fraxinus	strictum, <i>Ait.</i>
excelsior, <i>Linn.</i>	
Funkia	Gilia
Sieboldiana, <i>Hook.</i>	dichotoma, <i>Benth.</i>
	minima, <i>A. Gray.</i> , var. coerulea.
	tricolor, <i>Benth.</i>
Galega	Hedysarum
orientalis, <i>Lam.</i>	microcalyx, <i>Baker.</i>
Galium	neglectum, <i>Ledeb.</i>
saccharatum, <i>All.</i>	
Genista	Helianthemum
anglica, <i>Linn.</i>	canum, <i>Boiss.</i>
hispanica, <i>Linn.</i>	umbellatum, <i>Mill.</i>
præcox, <i>Hort.</i>	
sagittalis, <i>Linn.</i>	Heracleum
	asperum, <i>Bieb.</i>
Gentiana	Wallichii, <i>DC.</i>
asclepiadea, <i>Linn.</i>	
Cruciata, <i>Linn.</i>	Heuchera
linearis, <i>Froel.</i>	americana, <i>Linn.</i>
Saponaria, <i>Linn.</i>	bracteata, <i>Ser.</i>
septempida, <i>Pall.</i>	cylindrica, <i>Dougl.</i>
tibetica, <i>King.</i>	Drummondi, <i>Hort.</i>
Geranium	Hieracium
pratense, <i>Linn.</i>	bupleuroides, <i>C. C. Gmel.</i>
Robertianum, <i>Linn.</i>	cambricum, <i>F. J. Hanb.</i>
sanguineum, <i>Linn.</i>	foliosum, <i>Waldst. et Kit.</i>
— var. lancastriense.	gymnocephalum, <i>Griseb.</i>
sylvaticum, <i>Linn.</i> , var. album.	Hydrangea
	vestita, <i>Wall.</i>

Hydrastis	Laburnum
canadensis, <i>Linn.</i>	alpinum, <i>J. S. Presl.</i> — var. roseum.
Hyoscyamus	vulgare, <i>J. S. Presl.</i> , var. foliis aureis.
niger, <i>Linn.</i>	
Hypericum	Lagurus
Androsænum, <i>Linn.</i>	ovatus, <i>Linn.</i>
Ascyron, <i>Linn.</i>	
elodeoides, <i>Choisy.</i>	
erectum, <i>Thunb.</i>	
hirsutum, <i>Linn.</i>	
rhodopeum, <i>Fris.</i>	
tetrapterum, <i>Fries.</i>	
Hypochœris	Lathyrus
radicata, <i>Linn.</i>	Clymenum, <i>Linn.</i> macrorrhizus, <i>Wimm.</i> maritimus, <i>Bigel.</i> montanus, <i>Bernh.</i> splendens, <i>Kellogg.</i>
Iberis	Lavatera
semperflorens, <i>Linn.</i>	trimestris, <i>Linn.</i>
Ilex	Layia
Aquifolium, <i>Linn.</i>	elegans, <i>Torr. et Gray.</i>
Iris	Leontodon
Guldenstaedtiana, <i>Lepech.</i>	hispidus, <i>Linn.</i>
longipetala, <i>Herb.</i>	
sibirica, <i>Linn.</i>	
Isatis	Leontopodium
tinctoria, <i>Linn.</i>	alpinum, <i>Cass.</i> , var. himalayanum.
Jasione	Leptosyne
montana, <i>Linn.</i>	Stillmannii, <i>A. Gray.</i>
Jurinea	Leycesteria
glycacantha, <i>DC.</i>	formosa, <i>Wall.</i>
Kniphofia	Ligusticum
Tuckii, <i>Baker.</i>	Thomsoni, <i>C. B. Clarke.</i>
	Limnanthes
	Douglasii, <i>R. Br.</i>
	Linaria
	maroccana, <i>Hook. f.</i> repens, <i>Mill.</i> saxatilis, <i>Hoffm.</i> et <i>Link.</i> triornithophora, <i>Willd.</i> vulgaris, <i>Mill.</i>

Linum	Meum
capitatum, <i>Kit.</i>	athamanticum, <i>Jacq.</i>
usitatissimum, <i>Linn.</i>	
Lophosciadium	Mimulus
meifolium, <i>DC.</i>	luteus, <i>Linn.</i>
Lotus	Molopospermum
siliquosus, <i>Linn.</i>	cicutarium, <i>DC.</i>
Lupinus	Monolepis
arboreus, <i>Linn.</i>	trifida, <i>Schrad.</i>
— var. violaceus.	
micranthus, <i>Dougl.</i>	
nootkatensis, <i>Donn.</i>	
polyphyllus, <i>Lindl.</i>	
rivularis, <i>Dougl.</i>	
Lychnis	Moræa
alba, <i>Mill.</i>	iridioides, <i>Linn.</i>
Flos-jovis, <i>Desr.</i>	
montana, <i>S. Wats.</i>	
Viscaria, <i>Linn.</i>	
Malva	Morina
sylvestris, <i>Linn.</i>	longifolia, <i>Wall.</i>
Matricaria	Muscari
Tchihatchewii, <i>Hort. Kew.</i>	Argæi, <i>Hort.</i>
Meconopsis	armeniacum, <i>Baker.</i>
cambrica, <i>Vig.</i>	Maweanum, <i>Baker.</i>
Wallichii, <i>Hook.</i> , var. fusco-	
purpurea.	
Medicago	Myrrhis
carstiensis, <i>Wulf.</i>	odorata, <i>Scop.</i>
Echinus, <i>DC.</i>	
falcata, <i>Linn.</i>	
hispida, <i>Gaertn.</i> , var. apiculata.	
lupulina, <i>Linn.</i>	
sativa, <i>Linn.</i>	
scutellata, <i>All.</i>	
Nepeta	Nicotiana
nuda, <i>Linn.</i>	rustica, <i>Linn.</i>
spicata, <i>Benth.</i>	
Oenothera	Onobrychis
amoena, <i>Lehm.</i>	viciæfolia, <i>Scop.</i>
Ononis	
arvensis, <i>Linn.</i>	
albo-roseum, <i>Fisch. et Mey.</i>	
Oxytropis	
glabra, <i>DC.</i>	
lapponica, <i>Gaud.</i>	

Paeonia*corallina*, *Rets.***Papaver**

orientale, *Linn.*, var. *bracteatum*.
pilosum, *Sibth.* et *Sm.*
rupifragum, *Boiss.* et *Reut.*
somniferum, *Linn.*

Pentstemon

barbatus, *Roth.*
confertus, *Dougl.*
diffusus, *Dougl.*
gentianoides, *Poir.*

Perezia*multiflora*, *Less.***Phormium***tenax*, *Linn. f.***Phyteuma**

orbiculare, *Linn.*
Scheuchzeri, *All.*
Sieberi, *Spreng.*

Pimpinella

magna, *Linn.*
Saxifraga, *Linn.*

Pisum*sativum*, *Linn.***Platystemon***californicus*, *Benth.***Polemonium**

boreale, *Adams.*
caeruleum, *Linn.*
himalayanum, *Baker.*
mexicanum, *Cerv.*
pauciflorum, *S. Wats.*

Polygonum

baldschuanicum, *Regel.*
Convolvulus, *Linn.*
Weyrichii, *F. Schmidt.*

Potentilla

ambigua, *Jacq.*
andicola, *Benth.*
apennina, *Tenore.*
argentea, *Linn.*, var. *calabria*.
bifurca, *Linn.*
chinensis, *Ser.*
chrysanthia, *Trevir.*
desertorum, *Bunge.*
Dombeyi, *Nestl.*
glandulosa, *Lindl.*
Hopwoodiana, *Sweet.*
Macnabiana ×, *Lem.*
multifida, *Linn.*
nepalensis, *Hook.*
nivea, *Linn.*
norvegica, *Linn.*
opaca, *Linn.*
palustris, *Scop.*
pensylvanica, *Linn.*
recta, *Linn.*
rupestris, *Linn.*
semilaciniata, *Hort.*
vladnizensis, *Siegfr.*

Poterium

canadense, *A. Gray.*
diandrum, *Hook. f.*

Prenanthes*purpurea*, *Linn.***Primula**

apennina, *Wid.*
Balbisii, *Lehm.*, var. *bellunensis*.
elatior, *Hill.*
japonica, *A. Gray.*, var. *lilacina*.

- | | |
|------------------------------------|--|
| Primula — <i>continued.</i> | Saxifraga — <i>continued.</i> |
| <i>mollis</i> , Nutt. | <i>granulata</i> , Linn. |
| <i>officinalis</i> , Jacq. | <i>Haworthii</i> , Hort. |
| <i>sikkimensis</i> , Hook. f. | <i>Hostii</i> , Tausch. |
| Pulicaria | <i>Huetiana</i> , Boiss. |
| <i>vulgaris</i> , Gaertn. | <i>hypnoides</i> , Linn. |
| Ramondia | <i>Mertensiana</i> , Bongard. |
| <i>pyrenaica</i> , Rich. | <i>nivalis</i> , Linn. |
| Ranunculus | <i>pedatifida</i> , Ehrh. |
| <i>acris</i> , Linn. | <i>pubescens</i> , Pourr. |
| <i>brutius</i> , Tenore. | <i>Rocheliana</i> , Sternb., var. |
| <i>Flammula</i> , Linn. | <i>coriophylla</i> . |
| <i>lanuginosus</i> , Linn. | <i>squarrosa</i> , Sieber. |
| <i>ophioglossifolius</i> , Vill. | <i>umbrosa</i> , Linn., var. <i>serratifolia</i> |
| <i>sceleratus</i> , Linn. | (Mackay). |
| <i>Thora</i> , Linn. | |
| Raphanus | Scabiosa |
| <i>Raphanistrum</i> , Linn. | <i>caucasica</i> , Bieb. |
| Rosa | Scorpiurus |
| <i>rugosa</i> , Thunb. | <i>muricata</i> , Linn. |
| Rumex | Senecio |
| <i>maritimus</i> , Linn. | <i>Doronicum</i> , Linn. |
| Salvia | <i>Fuchsii</i> , C. C. Gmel. |
| <i>hians</i> , Royle. | |
| <i>pratensis</i> , Linn. | Silene |
| Saponaria | <i>alpestris</i> , Jacq. |
| <i>ocymoides</i> , Linn. | <i>caucasica</i> , Boiss. |
| Saxifraga | <i>Cucubalus</i> , Wibel. |
| <i>Aizoon</i> , Jacq. | <i>Czerei</i> , Boiss. |
| <i>aretioides</i> , Lapeyr. | <i>italica</i> , Pers. |
| <i>cæsia</i> , Linn. | <i>maritima</i> , With. |
| <i>caespitosa</i> , Linn. | <i>nocteolens</i> , Webb et Berth. |
| <i>Cymbalaria</i> , Linn. | <i>quadridentata</i> , Pers. |
| <i>decipiens</i> , Ehrh. | <i>rhynchosarpa</i> , Boiss. |
| | <i>Saxifraga</i> , Linn. |
| | <i>stylosa</i> , Bunge. |
| | <i>Thorei</i> , Duf. |
| | <i>verecunda</i> , S. Wats. |
| | <i>Zawadzkii</i> , Herbich. |
| | Sisyrinchium |
| | <i>angustifolium</i> , Mill., var. |
| | <i>mucronatum</i> (Michx.). |

Smyrnium	Tofieldia
Olusatrum, <i>Linn.</i>	calyculata, <i>Wahlenb.</i>
Solidago	Trifolium
Virgaurea, <i>Linn.</i>	alpinum, <i>Linn.</i> pannonicum, <i>Linn.</i> striatum, <i>Linn.</i>
Spiraea	Trollius
Aruncus, <i>Linn.</i> palmata, <i>Thunb.</i>	altaicus, <i>Mey.</i>
Stachys	Tunica
recta, <i>Linn.</i>	prolifera, <i>Scop.</i>
Stenanthium	Valeriana
angustifolium, <i>Kunth.</i>	tuberosa, <i>Linn.</i>
Succowia	Veratrum
balearica, <i>Medic.</i>	album, <i>Linn.</i>
Symporicarpus	Veronica
racemosus, <i>Michx.</i>	officinalis, <i>Linn.</i>
Synthyris	Vicia
reniformis, <i>Benth.</i>	Cracca, <i>Wulf.</i> oroboides, <i>Wulf.</i> Orobus, <i>D.C.</i> pyrenaica, <i>Poirr.</i> sylvatica, <i>Linn.</i> villosa, <i>Roth.</i>
Taxus	Viola
baccata, <i>Linn.</i>	cornuta, <i>Linn.</i> hirta, <i>Linn.</i> sylvestris, <i>Lam.</i>
Thalictrum	Wulfenia
glaucum, <i>Desf.</i> majus, <i>Jacq.</i> minus, <i>Linn.</i> simplex, <i>Linn.</i>	carinthiaca, <i>Jacq.</i>
Thermopsis	
fabacea, <i>D.C.</i> lanceolata, <i>R. Br.</i>	

PLANTS UNDER GLASS.

Acacia	Asclepias
Farnesiana, <i>Willd.</i>	curassavica, <i>Linn.</i>
grandis, <i>Henfr.</i>	
juncifolia, <i>Benth.</i>	
neriifolia, <i>A. Cunn.</i>	
suaveolens, <i>Willd.</i>	
Acanthostachys	Begonia
strobilacea, <i>Link, Klotzsch et Otto.</i>	Dregei, <i>Otto et Dietr.</i>
Æchmea	semperflorens, <i>Link et Otto.</i>
bromeliæfolia, <i>Baker.</i>	Verschaffeltii ×, <i>Regel.</i>
— var. pulchrum.	Weltoniensis ×, <i>Hort.</i>
candida, <i>E. Morr.</i>	
coerulescens, <i>Baker.</i>	
Makoyana, <i>Hort. Makoy.</i>	
Weilbachii, <i>Dietr.</i> , var.	
leodiensis.	
xiphophylla, <i>Baker.</i>	
Agave	
attenuata, <i>Salm-Dyck.</i>	
xalapensis, <i>Roezl.</i>	
Aglaonema	
commutatum, <i>Schott.</i>	
Aloe	
mitriformis, <i>Mill.</i> , var. spinulosa (<i>Salm-Dyck.</i>)	
striata, <i>Haw.</i>	
Araujia	
sericifera, <i>Brot.</i>	
Aristolochia	
brasiliensis, <i>Mart. et Zucc.</i>	
elegans, <i>Mast.</i>	
fimbriata, <i>Cham.</i>	
	Begonia
	Dregei, <i>Otto et Dietr.</i>
	semperflorens, <i>Link et Otto.</i>
	Verschaffeltii ×, <i>Regel.</i>
	Weltoniensis ×, <i>Hort.</i>
	Bertolonia
	maculata, <i>DC.</i>
	Billardiera
	longiflora, <i>Labill.</i>
	Billbergia
	pallidiflora, <i>Liebm.</i>
	thyrsoidæ, <i>Mart.</i> , var. longifolia.
	zebrina, <i>Lindl.</i>
	Brachychilum
	Horsfieldii, <i>Baker.</i>
	Brodiaæ
	lactea, <i>S. Wats.</i>
	Callicarpa
	purpurea, <i>Juss.</i>
	Callistemon
	linearis, <i>DC.</i>
	speciosus, <i>DC.</i>
	Carex
	japonica, <i>Thunb.</i>

Cassia	Didymosperma
corymbosa, <i>Lam.</i>	porphyrocarpon, <i>H. Wendl.</i> et <i>Drude.</i>
Cedronella	Dolichos
triphylla, <i>Moench.</i>	Lablab, <i>Linn.</i>
Chamædorea	Drosera
Sartorii, <i>Liebm.</i>	spathulata, <i>Labill.</i>
Chlorophytum	Drosophyllum
Orchidastrum, <i>Lindl.</i>	lusitanicum, <i>Link.</i>
Cleome	Eccremocarpus
gigantea, <i>Linn.</i>	scaber, <i>Ruiz et Pav.</i>
Clerodendron	Eriostemon
splendens, <i>G. Don.</i>	buxifolius, <i>Sm.</i>
Clianthus	Erythrociton
puniceus, <i>Banks et Sol.</i>	brasiliensis, <i>Nees.</i>
Clitoria	Eucalyptus
Ternatea, <i>Linn.</i>	ficifolia, <i>F. Muell.</i>
— var. alba.	incrassata, <i>Labill.</i>
Cobæa	Eucomis
scandens, <i>Cav.</i>	punctata <i>L'Hérit.</i>
Coffea	Eupatorium
arabica, <i>Linn.</i>	Weinmannianum, <i>Regel.</i>
bengalensis, <i>Roxb.</i>	
Costus	Evodia
afer, <i>Ker-Gawel.</i>	elegans, <i>Hort.</i>
igneus, <i>N. E. Br.</i>	
Crossandra	Fuchsia
undulæfolia, <i>Salisb.</i>	procumbens, <i>R. Cunn.</i>
Cytisus	Gasteria
candidans, <i>Lam.</i>	disticha, <i>Haw.</i> , var. angusti-folia, <i>Baker.</i>
Desmodium	
gyrans, <i>DC.</i>	

Geonoma	Kalanchoe
pumila, <i>Wendl.</i>	crenata, <i>Haw.</i>
Gerbera	flammea, <i>Staff.</i>
Jamesoni, <i>Bolus.</i>	thyrsiflora, <i>Harv.</i>
Gloriosa	Welwitschii, <i>Britten.</i>
superba, <i>Linn.</i>	
Goodia	Kennedyia
lotifolia, <i>Salisb.</i>	prostrata, <i>R. Br.</i>
Gossypium	— var. <i>Marryatæ.</i>
herbaceum, <i>Lam.</i>	
Grevillea	Kunzea
glabrata, <i>Meissn.</i>	parvifolia, <i>Schau.</i>
Guizotia	
abyssinica, <i>Cass.</i>	Lantana
Hedychium	Camara, <i>Linn.</i>
Gardnerianum, <i>Rose.</i>	
Hibiscus	Leptospermum
gossypinus, <i>Thunb.</i>	ericoides, <i>A. Rich.</i>
Manihot, <i>Linn.</i>	scoparium, <i>Forst.</i>
pedunculatus, <i>Linn.</i>	
Trionum, <i>Linn.</i> , var. major.	
Humea	Loasa
elegans, <i>Sm.</i>	lateritia, <i>Gill.</i> , var. <i>aurantiaca</i> , <i>Hort.</i>
Hydrolea	Luffa
spinosa, <i>Linn.</i>	ægyptiaca, <i>Mill.</i>
Indigofera	Lycopersicum
atropurpurea, <i>Buch.-Ham.</i>	esculentum, <i>Mill.</i>
australis, <i>Willd.</i>	
Ipomœa	Maurandia
Bona-Nox, <i>Linn.</i>	Barclayana, <i>Lindl.</i>
	Melothria
	cucumerina, <i>Naud.</i>
	Mesembryanthemum
	curviflorum, <i>Haw.</i>
	digitiforme, <i>Thunb.</i>
	lepidum, <i>Haw.</i>
	sanguineum, <i>Hort.</i>
	violaceum, <i>DC.</i>

Mimosa	Panicum
marginata, <i>Lindl.</i>	Crus-galli, <i>Linn.</i>
Mimulus	Passiflora
longiflorus, <i>Hort.</i>	edulis, <i>Sims.</i> quadrangularis, <i>Linn.</i>
Momordica	Pelargonium
Charantia, <i>Linn.</i>	ternatum, <i>Linn.</i>
cochininchinensis, <i>Spreng.</i>	
Moræa	Pitcairnia
prolongata, <i>Hort.</i>	amaryllidifolia, <i>Hort.</i> latifolia, <i>Soland.</i> maidifolia, <i>Desne.</i> pulverulenta, <i>Ruiz et Pav.</i>
Musschia	Polyalthia
Wollastoni, <i>Lowe.</i>	suberosa, <i>Benth. et Hook. f.</i>
Myrica	Primula
ethiopica, <i>Linn.</i>	japonica, <i>A. Gray</i> , var. lilacina. mollis, <i>Nutt.</i> verticillata, <i>Forsk.</i>
Myrtus	Prostanthera
communis, <i>Linn.</i>	lasianthos, <i>Labill.</i>
Luma, <i>Barn.</i>	
Ugni, <i>Mol.</i>	
Nephthytis	Rhodochiton
liberica, <i>N. E. Br.</i>	volubile, <i>Zucc.</i>
Nicotiana	Rhododendron
sylvestris, <i>Hort.</i>	Nuttallii, <i>Booth.</i>
Ornithogalum	Rhynchosia
tenellum, <i>Jacq.</i>	caribaea, <i>DC.</i>
Oryza	Rivina
latifolia, <i>Desv.</i>	humilis, <i>Linn.</i>
sativa, <i>Linn.</i>	
Oxypetalum	Ruellia
ceruleum, <i>Desne.</i>	tuberosa, <i>Linn.</i>

Sabal*Blackburniana, Glazeb.***Saxifraga***Cotyledon, Linn., var. pyramidalis.**Mac nabiana, Hort.***Schismatoglottis***Roebelini, Hort.***Sempervivum***annuum, C. Sm.**tectorum, Linn.***Solanum***auriculatum, Ait.**coagulans, Hort.**fastigiatum, Willd.**hybridum, Jacq.**jasminoides, Paxt.**nigrum, Linn.**pyracanthum, Jacq.**Seaforthianum, Andr.***Stachytarpheta***indica, Vahl.***Tacca***cristata, Jack.***Tacsonia***exoniensis ×, Hort.**mollissima, H.B.K.**Van, Volxemii, Hook.***Tecoma***Smithii, Hort.***Tetranema***mexicana, Benth.***Thrinax***parviflora, Sw.***Tillandsia***aurea, Hort.**corallina, K. Koch.**splendens, Brong.***Trachelium***cœruleum, Linn.***Tristania***laurina, R. Br.***Villamilla***purpurascens, Hort.***Vitis***heterophylla, Thunb., var.**humulifolia.*